HDCA Summer School on Capability and Multidimensional Poverty

24 August – 3 September 2011

Delft University of Technology, Netherlands

Properties of Multidimensional Poverty Measures

Suman Seth

Oxford Poverty & Human Development Initiative (OPHI)

OPHI Oxford Poverty & Human Development Initiative

UNIVERSITY OF OXFORD

Focus of This Lecture

Discuss the axiomatic structure considered as 'desirable' or 'convenient' for the measurement of poverty in the multidimensional context

Main Sources of this Lecture

- Bourguignon and Chakravarty. (2003): The Measurement of Multidimensional Poverty

- Alkire and Foster (2007, 2011): Counting and Multidimensional Poverty Measurement

- Please see the reading list for others

Preliminaries

Preliminaries

Multiple dimensions

- – Standard of living, knowledge, quality of health (referred as 'achievements')

Achievements of a society or country can be represented by a matrix or joint distribution

Unit of analysis may be individual or household

Preliminaries

A typical dataset or achievement matrix with 4 dimensions

	Income	Years of Education	Housing Index	Mal-nourished	
	700	14	4	No	Person 1
x =	300	13	5	Yes	Person 2
	400	10	1	Yes	Person 3
	800	11	3	No	Person 4

z =	**500**	**12**	**3**	**No**	

z is the vector of poverty lines

OPHI Oxford Poverty & Human Development Initiative

UNIVERSITY OF OXFORD

Preliminaries

Matrix $x=[x_{ij}]_{n \times d}$ summarizes the joint distribution of d attributes across n individuals

Row vector $x_{i \bullet}$ denotes the achievements of person i in all d dimensions

Column vector $x_{\bullet j}$ denotes the achievements of all n persons in dimension d

Vector $z=[z_1,...,z_d]$ be the cut-off vector containing the poverty line of each dimension

Preliminaries

A general achievement matrix

x_{ij}: the achievement of
individual i in dimension j

Example:

x_{1d}: the achievement of the 1^{st}
individual in dimension d

x_{n1}: the achievement of the n^{th}
individual in the first
dimension

Dimensions

$$x = \begin{bmatrix} x_{11} & \dots & x_{1d} \\ x_{21} & \dots & x_{2d} \\ \dots & & \\ & & \dots \\ x_{n1} & \dots & x_{nd} \end{bmatrix} = \begin{bmatrix} x_{1\bullet} \\ x_{2\bullet} \\ \\ \\ x_{n\bullet} \end{bmatrix}$$

Persons

$$\|$$

$$\begin{bmatrix} x_{\bullet 1} & \dots & x_{\bullet d} \end{bmatrix}$$

Multidimensional Poverty Measurement

OPHI — Oxford Poverty & Human Development Initiative

UNIVERSITY OF OXFORD

Measurement

Measurement of multidimensional poverty involves two major steps like unidimensional measurement

– Identification
– Aggregation

First Step: Identification

Identification: *Who is multidimensionally poor*?

An '*identification function*', ρ, decides who should be multidimensionally poor

$\rho(x_{i\bullet},z) = 1$ if person i is multidimensionally poor
$\rho(x_{i\bullet},z) = 0$ if person i is not multidimensionally poor

Unlike the unidimensional framework, there can be two types of identification procedures

Counting Approach
Aggregate Poverty Line Approach

First Step: Identification

Identification: Counting Approach (Two stages)

First stage: Determine whether individuals are <u>deprived</u> in each dimension

Second stage: Identify if someone is poor based on an identification function (criterion)

Three types:

Union criterion (if deprived in at least one dimension)

Intersection criterion (if deprived in all dimensions)

Intermediate criterion

First Step: Identification

Example: Constructing first stage 'Deprivation Matrix'

	Income	Years of Education	Housing Index	Mal-nourished	
	700	14	4	No	Person 1
$\mathbf{x} =$	300	13	5	Yes	Person 2
	400	10	1	Yes	Person 3
	800	11	3	No	Person 4

$\mathbf{z} =$	500	12	3	No

First Step: Identification

Example: Constructing first stage 'Deprivation Matrix'

Replace entries: 1 if deprived, 0 if not deprived

	Income	Years of Education	Housing Index	Mal-nourished	
	0	0	0	0	**Person 1**
	1	0	0	**1**	**Person 2**
	1	**1**	**1**	**1**	**Person 3**
	0	**1**	0	0	**Person 4**

$g^0 =$

$z =$	**500**	**12**	**3**	**No**

These entries fall below cutoffs

OPHI Oxford Poverty & Human Development Initiative

UNIVERSITY OF OXFORD

First Step: Identification

Identification: Aggregate Poverty Line Approach

A person is identified as poor if her aggregate achievement falls below an aggregate poverty line

Let the aggregation function be denoted by ϕ

Then,

$$\rho(x_{i\bullet},z) = 1 \quad \text{if } \phi(x_{i\bullet}) < \phi(z)$$
$$\rho(x_{i\bullet},z) = 0 \quad \text{if } \phi(x_{i\bullet}) \geq \phi(z)$$

Example consumer expenditure approach

Note: No deprivation matrix was created in this situation

Second Step: Aggregation

Aggregation: *How poor is the society?*

Based on the identification criterion, this step construct an index of poverty P(x;z) summarizing the information of the poor (*a censored matrix can be created just as in the unidimensional framework*)

Axioms

Axioms in Multidimensional Context

Two types

1. *Natural extensions* of the unidimensional framework.

2. Axioms specific to the multidimensional context

Natural Extensions

Symmetry *(Anonymity):* If matrix y is obtained from matrix x by a *permutation* of achievements and the poverty lines remain unchanged, then P(y;z) = P(x;z)

y is obtained from x by a ***permutation*** of incomes if x = Py, where P is a permutation matrix.

Example: $y = Px = \begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 4 & 4 & 2 \\ 3 & 5 & 4 \\ 8 & 6 & 3 \end{bmatrix} = \begin{bmatrix} 3 & 5 & 4 \\ 4 & 4 & 2 \\ 8 & 6 & 3 \end{bmatrix}$

Natural Extensions

Replication Invariance *(Population Principle)*: If matrix y is obtained from matrix x by a *replication* and the poverty lines remain unchanged, then P(y;z) = P(x;z)

y is obtained from x by a **replication** if each person's achievement vector in x is simply repeated a finite number of times

Example: $x = \begin{bmatrix} 4 & 4 & 2 \\ 3 & 5 & 4 \\ 8 & 6 & 3 \end{bmatrix}$ $y = \begin{bmatrix} 4 & 4 & 2 \\ 4 & 4 & 2 \\ 3 & 5 & 4 \\ 3 & 5 & 4 \\ 8 & 6 & 3 \\ 8 & 6 & 3 \end{bmatrix}$

Natural Extensions

Scale Invariance *(Homogeneity of Zero-Degree)*: If all achievements in matrix x and all poverty lines in z are changed by the same *proportion* $\alpha > 0$, then $P(\alpha x; \alpha z) = P(x;z)$.

Example:

$$X = \begin{bmatrix} 4 & 4 & 2 \\ 3 & 5 & 4 \\ 8 & 6 & 3 \end{bmatrix} \qquad z = \begin{bmatrix} 4 & 5 & 3 \end{bmatrix}$$

$$\alpha X = \begin{bmatrix} 2(4) & 2(4) & 2(2) \\ 2(3) & 2(5) & 2(4) \\ 2(8) & 2(6) & 2(3) \end{bmatrix} \qquad \alpha z = \begin{bmatrix} 2(4) & 2(5) & 2(3) \end{bmatrix}$$

Natural Extensions

Focus: Unlike in the unidimensional framework, there are two types of focus axiom

(*Type I*) Focus on those identified as multidimensionally poor' (*we are not interested in those who are not multidimensionally poor*)

(*Type II*) Focus on dimensions where multidimensionally poor are deprived (*we are not interested in dimensions in which they are not deprived*)

Natural Extensions

Poverty Focus (Type I): If y is obtained from x by *an increment to a non-poor person's achievements* and the poverty lines remain unchanged, then $P(y;z) = P(x;z)$

Example: $x = \begin{bmatrix} 4 & 4 & 2 \\ 3 & 5 & 4 \\ 8 & 6 & 4 \end{bmatrix}$, z = (5,6,4), and $g^0 = \begin{bmatrix} 1 & 1 & 1 \\ 1 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$

Person 3 is not multidimensionally poor, does it matter if he/she experiences an increase in any of the dimensions?

Natural Extensions

Deprivation Focus (Type II): If y is obtained from x by *a increment in achievements among the non-deprived,* then P(X;z)=P(Y;z). [Recall Deprived vs. Poor]

Example: $x = \begin{bmatrix} 4 & 4 & 2 \\ 3 & 5 & 4 \\ 8 & 6 & 4 \end{bmatrix}$, z = (5,6,4), and $g^0 = \begin{bmatrix} 1 & 1 & 1 \\ 1 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$

Suppose person 2 is considered multidimensionally poor, does it matter if he/she experiences an increment in the third dimension in which he/she is not deprived?

Natural Extensions

Focus Axioms and Types of Identification

Each of the two focus axioms is attributed to a each identification technique introduced earlier

- Poverty focus is attributed to the Aggregated Poverty Line Approach

- Deprivation focus is attributed to the Counting Approach

OPHI Oxford Poverty & Human Development Initiative

UNIVERSITY OF OXFORD

Natural Extensions

Continuity: For any sequence x , if x' converges to x, then $P(x';z)$ converges to $P(x;z)$

A technical assumption. It prevents poverty measures from changing abruptly for changes in distribution of achievements

Similar intuitive interpretation as the assumption in single dimensional framework

Natural Extensions

Monotonicity*:* There are, unlike in unidimensional framework, two types of monotonicity axiom

(*Type I*) Becoming less deprived in a specific dimension (within dimension):

(*Type II*) Becoming deprived in one less dimension (across dimensions): Dimensional Monotonicity

Natural Extensions

Monotonicity: If y is obtained from x by a *deprived increment* among the poor and the poverty line remains unchanged, then $P(y,z) < P(x,z)$

y is obtained from x by a *deprived increment* if there is an increment in a deprived achievement of a multidimensionally poor

Example: $x = \begin{bmatrix} 4 & 4 & 2 \\ 3 & 5 & 4 \\ 8 & 6 & 3 \end{bmatrix}$, z = (5 6 4), y = $\begin{bmatrix} 4 & 4 & 3 \\ 3 & 5 & 4 \\ 8 & 6 & 3 \end{bmatrix}$

Person 1 is multidimensionally poor, and experiences an improvement in the third dimension.

Natural Extensions

Dimensional Monotonicity: If y is obtained from x by a *dimensional increment among the poor*, then P(y,z)<P(x,z)

y is obtained from x by a *dimensional increment among the poor* if due to an increment in a deprived achievement of a poor, he or she becomes non-deprived in that dimension

Example: $x = \begin{bmatrix} 4 & 4 & 2 \\ 3 & 5 & 4 \\ 8 & 6 & 3 \end{bmatrix}$, z = (5 6 4), $y = \begin{bmatrix} 4 & 4 & 2 \\ 3 & 6 & 4 \\ 8 & 6 & 3 \end{bmatrix}$

Suppose person 2 is considered multidimensionally poor, and experiences an increment in the second dimension and is no longer deprived in it

Natural Extensions

Population Subgroups

Suppose the population size of x is denoted by n(x). Matrix x is divided into two population subgroups: x' with population size n(x') and x" with population size n(x") such that n(x) = n(x') + n(x")

$$\begin{array}{ccc} \text{Income} & \text{Education} & \text{Health} \end{array}$$

$$x \ = \ \begin{bmatrix} 4 & 4 & 2 \\ 3 & 5 & 4 \\ 8 & 6 & 3 \end{bmatrix} \begin{array}{l} \text{Person 1} \\ \text{Person 2} \\ \text{Person 3} \end{array}$$

Natural Extensions

Population Subgroup Consistency*: If $P(y';z) > P(x';z)$ and $P(y'';z) = P(x'';z)$, and $n(x') = n(y')$, $n(y'') = n(x'')$, then $P(y;z) > P(x;z)$*

Population Subgroup Decomposability*: A poverty measure is additive decomposable if:*

$$P(x) = \frac{n(x')}{n}P(x') + \frac{n(x'')}{n}P(x'')$$

Recall: *decomposability implies subgroup consistency, but the converse does not hold*

Analogous Concept: Dimensional Subgroups

Income   Education   Health

$$x = \begin{bmatrix} 4 & 4 & 2 \\ 3 & 5 & 4 \\ 8 & 6 & 3 \end{bmatrix}$$

Person 1
Person 2
Person 3

Decomposability Across Dimensions

It is a purely multidimensional concept, where the overall poverty can be expressed as an weighted average of dimensional deprivations (among poor only)

Natural Extensions

Transfer in unidimensional context: If y is obtained from x by a progressive transfer among the poor, then $P(y;z) < P(x;z)$

Recall if income is transferred from a person to another who is not richer than the former, keeping mean income same, the transfer is called a *progressive transfer*

This is also known as *Pigou-Dalton* transfer principle

Example: $z = 10$, $x = (9,4,15,8)$; $y = (9,5,15,7)$

Natural Extensions

Transfer in multidimensional context:

Bistochastic matrix (B): A matrix whose row elements and column element sum up to one

Example: A general bistochastic matrix $\begin{bmatrix} 0.5 & 0.3 & 0.2 \\ 0.4 & 0.3 & 0.3 \\ 0.1 & 0.4 & 0.5 \end{bmatrix}$

Multiply a vector by a bistochastic matrix

$$\begin{bmatrix} 0.5 & 0.3 & 0.2 \\ 0.4 & 0.3 & 0.3 \\ 0.1 & 0.4 & 0.5 \end{bmatrix} \begin{bmatrix} 4 \\ 8 \\ 16 \end{bmatrix} = \begin{bmatrix} 17.4 \\ 16.8 \\ 23.4 \end{bmatrix}$$

Natural Extensions

Transfer in multidimensional context:

Bistochastic matrix (B): A matrix whose row elements and column element sum up to one

Example: What bostochastic matrix is used to obtain y = (9,5,15,7) from x = (9,4,15,8)?

$$\text{It is } B = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 0.75 & 0 & 0.25 \\ 0 & 0 & 1 & 0 \\ 0 & 0.25 & 0 & 0.75 \end{bmatrix}$$

Natural Extensions

***Uniform Majorization (UM)*:** Matrix y is obtained from x by a *Uniform Majorization among the poor* (an averaging of achievements among the poor) if y = Bx, where B is an n×n bistochastic matrix but not a permutation matrix, and b_{ii}=1 for every non-poor person *i* in Y.

$$X = BY = \begin{bmatrix} 0.5 & 0.5 & 0 \\ 0.5 & 0.5 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 4 & 4 & 2 \\ 3 & 5 & 4 \\ 8 & 6 & 3 \end{bmatrix} = \begin{bmatrix} 3.5 & 4.5 & 3 \\ 3.4 & 4.5 & 3 \\ 8 & 6 & 3 \end{bmatrix}, \text{ and } z = [5 \ 6 \ 5]$$

Achievements of the first two persons (poor) were smoothed

Natural Extensions

Transfer Under UM: If y is obtained from x by a *uniform majorization among the poor* (an averaging of achievements among the poor), then $P(y;z) \leq P(x;z)$.

Axiom Specific to the Multidimensional Case

Consider the following two matrices

$$
x = \begin{array}{ccc} \text{Income} & \text{Education} & \text{Health} \end{array}
$$

$$
x = \begin{bmatrix} 7 & 7 & 2 \\ 3 & 3 & 8 \\ 10 & 10 & 12 \end{bmatrix} \begin{array}{l} \text{Person 1} \\ \text{Person 2} \\ \text{Person 3} \end{array}
\qquad
y = \begin{bmatrix} 7 & 7 & 8 \\ 3 & 3 & 2 \\ 10 & 10 & 12 \end{bmatrix} \begin{array}{l} \text{Person 1} \\ \text{Person 2} \\ \text{Person 3} \end{array}
$$

$$
z = \begin{bmatrix} 4 & 5 & 3 \end{bmatrix}
$$

Is the pattern of poverty same in both societies?

If not, what is the difference?

Axiom Specific to the Multidimensional Case

Both matrices have the same distribution for each dimension (*marginal distribution*)

The correlation between dimensions are not same

Require an axiom based on correlation between dimension when marginals are same (Atkinson & Bourguignon, 1982; Boland & Proschan, 1988).

This axiom is intrinsic to the multivariate case

Axiom Specific to the Multidimensional Case

$$x = \begin{bmatrix} 7 & 7 & 2 \\ 3 & 3 & 8 \\ 10 & 10 & 12 \end{bmatrix} \qquad y = \begin{bmatrix} 7 & 7 & 8 \\ 3 & 3 & 2 \\ 10 & 10 & 12 \end{bmatrix}$$

Ways to call the data transformation:

From x to y: *association increasing rearrangement* (Boland & Proschan, 1988); correlation-increasing transfer (Tsui, 1999), correlation increasing switch (Bourguignon & Chakravarty, 2003 and Chakravarty, 2010)

From y to x: association decreasing rearrangement, (Alkire & Foster, 2007, 2011).

Axiom Specific to the Multidimensional Case

Matrix x is obtained from y by an *association decreasing rearrangement among the poor* if for two persons i and i',

i)   Person i and person i' are poor in y

ii) In y, in **no** dimension, person i' has more achievement than person i

iii) In x, i and i' switch some of their achievements in such a way that i has more in some dimension and i' has more in some other dimensions (marginal distributions remain same)

iii) $y_{i''\cdot} = x_{i''\cdot}$ for all except i and i' or the amount of attributes of all other persons $i'' \neq i, i'$ remain unchanged

iv) Thus, $y_{i\cdot}$ and $y_{i'\cdot}$ are comparable by vector dominance but not $x_{i\cdot}$ and $x_{i'\cdot}$.

Axiom Specific to the Multidimensional Case

Vector Dominance

Vector dominance between vector $b = (b_1, \ldots, b_d)$ and vector $c = (c_1, \ldots, c_d)$ occurs when $b_i \geq c_i$ for all i and $b_i > c_i$ for some I

Vector dominance in y for all three rows, but not in x

$$x = \begin{bmatrix} 7 & 7 & 2 \\ 3 & 3 & 8 \\ 10 & 10 & 12 \end{bmatrix} \quad y = \begin{bmatrix} 7 & 7 & 8 \\ 3 & 3 & 2 \\ 10 & 10 & 12 \end{bmatrix}$$

Question…

- How do you think poverty should change under an association decreasing rearrangement?

Association Decreasing Rearrangement

$$x = \begin{bmatrix} 7 & 7 & 2 \\ 3 & 3 & 8 \\ 10 & 10 & 12 \end{bmatrix} \quad y = \begin{bmatrix} 7 & 7 & 8 \\ 3 & 3 & 2 \\ 10 & 10 & 12 \end{bmatrix}$$

If you think that good health can **substitute (compensate)** for bad income or bad education, then poverty should **decrease**

If you think that good health is **necessary (complementary)** to achieve good income and good education, then poverty should **increase**

If you think that health is not necessary to achieve good income and good education, and can not either substitute for any of these, (i.e., you think they are **independent**), then poverty should **not change**.

Axiom Specific to the Multidimensional Case

Weak Rearrangement: If x is obtained from y by an *association decreasing rearrangement among the poor*, $P(y;z) \leq P(x;z)$

What is the assumption behind the axiom?

Assumption: Attributes are <u>*independent*</u> (if =) or <u>*substitutes*</u> (if <) (compensating achievements)

Could be <u>*complements*</u>, then axiom should go in the other way (>). (Bourguignon & Chakravarty, 2003).